Report Date.: 12/07/98 01:12 PM
Request.....: TX98-13
Submitter...: E. Chambers/C. Callicutt
Request Type: inh
Activity : T00107

Reported By...: Peters,Linda W.
Date Submitted: 10/20/98
Date Received.: 10/20/98
Date Completed: 11/03/98
Approved By...: Peters,Linda W.

Description.: NONE - TO TEST BRANDS FOR TEXAS COMPLIANCE

| Test Categories/Tests | BK6 Target | BK6 Average | BK6 StdDev | BK6 N | BKG6 Target | BKG6 Average | BKG6 StdDev | BKG6 N |
|---|---|---|---|---|---|---|---|---|
| Smoke | | | | | | | | |
| FTC Butt Length, mm | | 28.0 | | | | 34.0 | | |
| Tar/Puff, mg | | 2.6 | | | | 2.2 | | |
| TX Tar, mg/cigt. | | 28.2 | 0.93 | 33 | | 22.9 | 0.88 | 34 |
| TX Tpm, mg/cigt. | | 44.6 | 2.19 | 33 | | 36.0 | 1.41 | 34 |
| TX Nicotine, mg/cigt. | | 1.95 | 0.078 | 33 | | 1.60 | 0.069 | 34 |
| TX Water, mg/cigt. | | 14.51 | 1.388 | 33 | | 11.45 | 0.913 | 34 |
| TX Puffs/Cigt. | | 10.9 | 0.33 | 33 | | 10.5 | 0.36 | 34 |
| TX pH in Whole Smoke | | 5.1 | 0.06 | 2 | | 5.0 | 0.03 | 2 |
| Filter | | | | | | | | |
| Tipping Paper Length, mm | | 24.9 | 0.18 | 20 | | 31.2 | 0.23 | 20 |
| Ventilation | | 12 | 1.9 | 99 | | 14 | 2.6 | 99 |
| Filler | | | | | | | | |
| Tobacco Weight, g | | 0.702 | 0.0014 | 2 | | 0.654 | 0.0028 | 2 |
| Total Alkaloids, mg/g | | 17.80 | 0.269 | 2 | | 18.31 | 0.071 | 2 |
| OV After Grinding | | 10.3 | 0.01 | 2 | | 10.4 | 0.02 | 2 |

| Test Categories/Tests | EO5B Target | EO5B Average | EO5B StdDev | EO5B N | SHE8 Target | SHE8 Average | SHE8 StdDev | SHE8 N |
|---|---|---|---|---|---|---|---|---|
| Smoke | | | | | | | | |
| FTC Butt Length, mm | | 23.0 | | | | 35.0 | | |
| Tar/Puff, mg | | 3.4 | | | | 2.6 | | |
| TX Tar, mg/cigt. | | 43.2 | 1.56 | 34 | | 28.9 | 1.04 | 33 |
| TX Tpm, mg/cigt. | | 57.1 | 2.61 | 34 | | 43.4 | 1.81 | 33 |
| TX Nicotine, mg/cigt. | | 3.41 | 0.146 | 34 | | 1.83 | 0.075 | 33 |
| TX Water, mg/cigt. | | 10.49 | 1.246 | 34 | | 12.66 | 1.016 | 33 |
| TX Puffs/Cigt. | | 12.8 | 0.61 | 34 | | 11.2 | 0.32 | 33 |
| TX pH in Whole Smoke | | 5.2 | 0.07 | 2 | | 5.0 | 0.00 | 2 |
| Filter | | | | | | | | |
| Tipping Paper Length, mm | | | | | | 31.8 | 0.29 | 20 |
| Ventilation | | | | | | 0 | 1.3 | 99 |
| Filler | | | | | | | | |
| Tobacco Weight, g | | 0.948 | 0.0120 | 2 | | 0.778 | 0.0035 | 2 |
| Total Alkaloids, mg/g | | 21.65 | 0.672 | 2 | | 16.89 | 0.042 | 2 |
| OV After Grinding | | 9.7 | 0.02 | 2 | | 10.5 | 0.01 | 2 |

| Test Categories/Tests | SHE5 Target | SHE5 Average | SHE5 StdDev | SHE5 N | SHE6 Target | SHE6 Average | SHE6 StdDev | SHE6 N |
|---|---|---|---|---|---|---|---|---|
| Smoke | | | | | | | | |
| FTC Butt Length, mm | | 23.0 | | | | 28.0 | | |
| Tar/Puff, mg | | 3.2 | | | | 2.8 | | |
| TX Tar, mg/cigt. | | 44.1 | 1.63 | 32 | | 28.2 | 1.26 | 33 |
| TX Tpm, mg/cigt. | | 58.6 | 2.53 | 32 | | 45.4 | 2.23 | 33 |
| TX Nicotine, mg/cigt. | | 3.11 | 0.129 | 32 | | 1.75 | 0.076 | 33 |
| TX Water, mg/cigt. | | 11.40 | 1.166 | 32 | | 15.46 | 1.055 | 33 |
| TX Puffs/Cigt. | | 14.0 | 0.55 | 32 | | 10.2 | 0.37 | 33 |

All tests were conducted in the Philip Morris U.S.A., Product Testing Laboratory with the exception of those tests denoted by a (1). These tests were performed by Philip Morris U.S.A. Analytical Methods and Applications Division. The test results relate to the samples submitted to the Product Testing Laboratory during the stated time period. Extrapolation outside this time period is not appropriate.



PM3000396764

Source: https://www.industrydocuments.ucsf.edu/docs/nqdl0001

Report Date.: 12/07/98 01:12 PM
Request.....: TX98-13
Submitter...: E. Chambers/C. Callicutt
Request Type: inh
Activity : T00107

Reported By...: Peters,Linda W.
Date Submitted: 10/20/98
Date Received.: 10/20/98
Date Completed: 11/03/98
Approved By...: Peters,Linda W.

Description.: NONE - TO TEST BRANDS FOR TEXAS COMPLIANCE

| | | | | | | |
|---|---|---|---|---|---|---|
| TX pH in Whole Smoke | 5.1 | 0.03 | 2 | 5.0 | 0.01 | 2 |
| Filter | | | | | | |
| Tipping Paper Length, mm | | | | 24.9 | 0.41 | 20 |
| Ventilation | | | | 2 | 1.3 | 100 |
| Filler | | | | | | |
| Tobacco Weight, g | 0.999 | 0.0028 | 2 | 0.693 | 0.0042 | 2 |
| Total Alkaloids, mg/g | 18.79 | 0.049 | 2 | 16.95 | 0.064 | 2 |
| OV After Grinding | 11.5 | 0.04 | 2 | 10.5 | 0.03 | 2 |

| Test Categories/Tests | SHEL8 Target | SHEL8 Average | SHEL8 StdDev | SHEL8 N | SHEL8M Target | SHEL8M Average | SHEL8M StdDev | SHEL8M N |
|---|---|---|---|---|---|---|---|---|
| Smoke | | | | | | | | |
| FTC Butt Length, mm | | 39.0 | | | | 39.0 | | |
| Tar/Puff, mg | | 2.0 | | | | 2.0 | | |
| TX Tar, mg/cigt. | | 23.0 | 1.04 | 34 | | 23.5 | 0.76 | 34 |
| TX Tpm, mg/cigt. | | 32.8 | 1.92 | 34 | | 32.8 | 1.33 | 34 |
| TX Nicotine, mg/cigt. | | 1.49 | 0.062 | 34 | | 1.46 | 0.051 | 34 |
| TX Water, mg/cigt. | | 8.29 | 0.914 | 34 | | 7.86 | 0.749 | 34 |
| TX Puffs/Cigt. | | 11.5 | 0.33 | 34 | | 11.6 | 0.27 | 34 |
| TX pH in Whole Smoke | | 5.0 | 0.03 | 2 | | 5.0 | 0.01 | 2 |
| Filter | | | | | | | | |
| Tipping Paper Length, mm | | 36.1 | 0.10 | 20 | | 36.1 | 0.16 | 20 |
| Ventilation | | 18 | 1.9 | 98 | | 22 | 2.6 | 100 |
| Filler | | | | | | | | |
| Tobacco Weight, g | | 0.738 | 0.0057 | 2 | | 0.760 | 0.0050 | 2 |
| Total Alkaloids, mg/g | | 17.05 | 0.064 | 2 | | 16.71 | 0.240 | 2 |
| OV After Grinding | | 10.6 | 0.04 | 2 | | 10.8 | 0.02 | 2 |

Notations:

| | |
|---|---|
| BK6 | - BUCKS FF KS REG SP |
| BKG6 | - BUCKS LTS KS REG SP |
| EO5B | - ENGLISH OVALS KS FTB (84MM NON-FILTER) |
| SHE8 | - SHIELD FF 100 REG SP |
| SHE5 | - SHIELD NON-FILTER KS REG SP |
| SHE6 | - SHIELD FF KS REG SP |
| SHEL8 | - SHIELD LTS 100 REG SP |
| SHEL8M | - SHIELD LTS 100 MENTHOL SP |

| | |
|---|---|
| EO5B | - TX-EVENT test was cancelled because the sample was non-filter. |
| EO5B | - Tipping paper length determination was cancelled because the sample was non-filter. |
| SHE5 | - Group 1657 Run 5 Port 12 badported because it did not light. |
| SHE5 | - Group 1657 Run 5 Port 12 badported because it did not light. |

All tests were conducted in the Philip Morris U.S.A., Product Testing Laboratory with the exception of those tests denoted by a (1). These tests were performed by Philip Morris U.S.A. Analytical Methods and Applications Division. The test results relate to the samples submitted to the Product Testing Laboratory during the stated time period. Extrapolation outside this time period is not appropriate.



PM3000396765

Source: https://www.industrydocuments.ucsf.edu/docs/nqdl0001

Report Date.: 12/07/98 01:12 PM
Request.....: TX98-13
Submitter...: E. Chambers/C. Callicutt
Request Type: inh
Activity : T00107

Reported By...: Peters,Linda W.
Date Submitted: 10/20/98
Date Received.: 10/20/98
Date Completed: 11/03/98
Approved By...: Peters,Linda W.

Description.: NONE - TO TEST BRANDS FOR TEXAS COMPLIANCE

---

SHE5 - TX-EVENT test was cancelled because the sample was non-filter.
SHE5 - Tipping paper length determination was cancelled because the sample was non-filter.

---

cc:

All tests were conducted in the Philip Morris U.S.A., Product Testing Laboratory with the exception of those tests denoted by a (1). These tests were performed by Philip Morris U.S.A. Analytical Methods and Applications Division. The test results relate to the samples submitted to the Product Testing Laboratory during the stated time period. Extrapolation outside this time period is not appropriate.



PM3000396766

Source: https://www.industrydocuments.ucsf.edu/docs/nqdl0001